

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

2  
3  
4  
5  
6

## 8

9  
10  
11  
12  
13

14  
15  
16  
17  
18  
19

20  
21  
22  
23  
24  
25

1 configured to cause harm to the local computer system. (*Specification* p.2, lines  
2 24-26). Applet viewers prevent harm from execution of an applet. For example,  
3 applets are prevented by an applet viewer from writing data to any persistent  
4 storage, thus protecting current contents of the persistent storage. (*Specification*  
5 p.3, lines 2-7). A disadvantage of the isolation of applets is that other computer  
6 processes executing concurrently with and independently of the applet viewer  
7 cannot communicate with the applets. (*Specification* p.3, line 28 - p.4, line 1).

8 Grate describes a method for embedding client-side function calls within  
9 HTML (hypertext markup language) content such that a user can initiate an  
10 embedded function call by clicking on a corresponding button or link while  
11 viewing a document with a standard Web browser (col. 3, lines 13-22). Web  
12 function calling protocols are embodied within client and server software  
13 components which provide for the exchange of information between Web users  
14 and online merchants over the Internet (col. 3, lines 37-42).

15 Contrary to Savitzky and Grate, Applicant claims receiving a request for a  
16 document from an applet, where the request specifies a function, the execution of  
17 which performs a task that is unrelated to retrieval of any document specified in  
18 the request (*see* claim 1, for example). Applicant describes an interprocess  
19 communication mechanism in which applets can receive and respond to  
20 processing requests of other computer processes, and which can send processing  
21 requests to such other computer processes without requiring modification of applet  
22 viewers. Additionally, computer system security is preserved with interprocess  
23 communication because an applet is denied direct access to computer system  
24 resources. (*Specification* p.5, lines 24-25).

1       **Claim 1** recites a method for serving remote procedure calls from an  
2       applet which executes within an applet viewer which in turn executes in a  
3       computer system that is serving said remote procedure calls, the method  
4       comprising:

5               receiving from the applet which executes in the same computer  
6       system that serves said remote procedure calls, a request for a document  
7       according to a document retrieval protocol implemented on a computer  
8       network;

9               determining that the request specifies a function which is defined  
10       within a computer process executing independently of the applet and applet  
11       viewer and which includes one or more computer instructions, execution of  
12       which performs a task which is unrelated to retrieval of any document  
13       specified in the request; and

14              executing the function in the same computer system that is executing  
15       said applet and applet viewer to thereby cause execution of the one or more  
16       computer instructions in response to receipt of the request.

17       Savitzky and/or Grate do not teach or suggest the combination of elements  
18       recited in claim 1. Both Savitzky and Grate describe client *and* server systems  
19       communicating information between the systems via the Internet. However,  
20       claim 1 recites “an applet which executes within an applet viewer which in turn  
21       executes in a computer system”, “the applet which executes in the same computer  
22       system”, and “executing the function in the same computer system that is  
23       executing said applet and applet viewer.” Neither Savitzky nor Grate teach or  
24       suggest the combination of elements recited in claim 1 in a “same computer  
25       system” environment.

26       Furthermore, Savitzky does not teach or suggest both a request for a  
27       document *and* “determining that the request specifies a function..., execution of  
28       which performs a task which is unrelated to retrieval of any document specified in  
29       the request”, as recited in claim 1.

1 The Office suggests that Savitzky at col. 1, line 63 through col. 2, line 43  
2 teaches the elements of claim 1 (*Office Action* pp.2-3). However, the cited section  
3 of Savitzky describes examples of server-client communications that teach away  
4 from Applicant's claim 1. For example, the Office cites that Savitzky describes a  
5 client sending a document request to a server for a document in the form of a URL  
6 that refers to a program on the server (*Savitzky* col. 2, lines 1-5). The Office  
7 disregards, however, that Savitzky continues the description with "[t]he server  
8 generates a document in accordance with the program and returns that document  
9 to the browser." (*Savitzky* col. 2, lines 5-7). This is expressly contrary to the  
10 execution of a function "which performs a task which is *unrelated* to retrieval of  
11 any document specified in the request", as recited in claim 1. To return a  
12 document to a client browser, the document request of Savitzky would be related  
13 to the retrieval of the document.

14 With regards to "applets", Savitzky describes that "[w]ith client-side code  
15 execution, the client requests a document and the returned document contains  
16 program code embedded in the document ..." which can be used for such tasks as  
17 animating graphic elements of a document (*Savitzky* col. 2, lines 25-31). This is  
18 also expressly contrary to "a request for a document" and "determining that the  
19 request specifies a function..., execution of which performs a task which is  
20 *unrelated* to retrieval of any document specified in the request", as positively  
21 recited in claim 1.

22 The Office states that it would be obvious that the applet generates the  
23 request since the request for a document is generated with client-side code  
24 execution and that "the script execution is unrelated to retrieval of the document  
25 request generated by the script" (*Office Action* p.3). Applicant respectfully

1 disagrees. Savitzky clearly describes that “the server generates a document in  
2 accordance with the program and returns that document to the browser” (*Savitzky*  
3 col. 2, lines 5-7), and that with applets, the client requests a document and the  
4 returned document contains program code embedded in the document” (*Savitzky*  
5 col. 2, lines 25-27).

6 Grate also does not teach both a request for a document *and* “determining  
7 that the request specifies a function..., execution of which performs a task which  
8 is unrelated to retrieval of any document specified in the request”, as recited in  
9 claim 1. Grate says nothing about calling or requesting a function with a request  
10 for a document having an encoded remote procedure calling request, as claimed by  
11 the Applicant.

12 Accordingly, claim 1 is allowable over the Savitzky-Grate combination and  
13 Applicant respectfully requests that the §103 rejection be withdrawn.

14  
15 **Claims 2-5 and 22** are allowable by virtue of their dependency upon  
16 claim 1. Additionally, claims 2, 3, and 4 are allowable for over the Savitzky-Grate  
17 combination for independent reasons.

18 Claim 2 recites “determining that the request includes a document  
19 specification which is in a portion of a name space reserved for function requests.”  
20 The Office has not cited to either Savitzky or Grate for teaching “a name space  
21 reserved for function requests”, or “a document specification which is in a portion  
22 of a name space reserved for function requests.”

23 The Office states that it would be obvious that since the request is in a URL  
24 with parameters for the script execution, it can also contain how to format the  
25 returned document (*Office Action* p.4). Applicant respectfully disagrees that the

1 features of claim 2 are obvious, and claim 2 does not recite anything about a  
2 format for a returned document. Furthermore, the Office has not provided any  
3 indication of such features in either Savitzky or Grate. Without some indication as  
4 to the basis for the rejection, Applicant is unable to formulate a detailed response.  
5 Accordingly, Applicant respectfully requests that the Office withdraw the §103  
6 rejection of claim 2.

7 Claims 3 and 4 recite “returning to the applet result data produced by  
8 execution of the function” (claim 3), and “forming a document which includes the  
9 data and sending the document to the applet” (claim 4).

10 The additional elements recited in claim 4 is that result data produced by  
11 execution of the function (of claim 1) is included into a document and the  
12 document is sent to the applet. Neither Savitzky nor Grate teaches “forming a  
13 document which includes the data”, and “sending the document to the applet”, as  
14 recited in claim 4.

15 The Office suggests that Savitzky at col. 2, lines 10-14, teaches forming a  
16 document which includes the data and sending the document to the applet in a  
17 “dynamic document of server side code execution” (*Office Action* p.4). Applicant  
18 respectfully disagrees that the document of Savitzky includes the results of a  
19 *function*, execution of which performs a task which is unrelated to retrieval of any  
20 document specified in the request, as recited in the combination of claims 1, 3,  
21 and 4. Accordingly, claims 3 and 4 are allowable over the Savitzky-Grate  
22 combination.  
23  
24  
25

1        **Claim 6** recites “receiving from the applet ... a request for a document”,  
2 and “determining that the request specifies a function which is defined within a  
3 computer process executing independently of the applet and applet viewer and  
4 which includes one or more selected computer instructions, execution of which  
5 performs a task which is unrelated to retrieval of any document specified in the  
6 request.”

7        As described above in the response to the rejection of claim 1, Savitzky  
8 and/or Grate do not teach or suggest both a request for a document *and*  
9 “determining that the request specifies a function which is defined within a  
10 computer process executing independently of the applet and applet viewer...,  
11 execution of which performs a task which is unrelated to retrieval of any  
12 document specified in the request”, as recited in claim 6.

13        Accordingly, claim 6 is allowable over the Savitzky-Grate combination and  
14 Applicant respectfully requests that the §103 rejection be withdrawn.

15  
16        **Claims 7-10** are allowable by virtue of their dependency upon claim 6.  
17 Additionally, claims 7, 8, and 9 are allowable for over the Savitzky-Grate  
18 combination for independent reasons.

19        **Claim 7** recites “determining that the request includes a document  
20 specification which is in a portion of a name space reserved for function requests.”

21        As described above in the response to the rejection of claim 2, The Office  
22 has not cited to either Savitzky or Grate for teaching “a name space reserved for  
23 function requests”, or “a document specification which is in a portion of a name  
24 space reserved for function requests.” Accordingly, Applicant respectfully  
25 requests that the Office withdraw the §103 rejection of claim 7.

1        Claims 8 and 9 recite “returning to the applet result data produced by  
2 execution of the function” (claim 8), and “forming a document which includes the  
3 result data and sending the document to the applet” (claim 9).

4        As described above in the response to the rejection of claims 3 and 4,  
5 Neither Savitzky nor Grate teaches “forming a document which includes the result  
6 data”, and “sending the document to the applet”, as recited in claim 9. The  
7 document of Savitzky does not include the results *of a function*, execution of  
8 which performs a task which is unrelated to retrieval of any document specified in  
9 the request, as recited in the combination of claims 6, 8, and 9. Accordingly,  
10 claims 8 and 9 are allowable over the Savitzky-Grate combination.

11  
12        Claim 11 recites “receiving from the applet ... a request for a document”  
13 and “determining that the request specifies a function which is defined within the  
14 computer process and which includes one or more computer instructions,  
15 execution of which performs a task which is unrelated to retrieval of any  
16 document specified in the request.”

17        As described above in the response to the rejection of claim 1, Savitzky  
18 and/or Grate do not teach or suggest both a request for a document *and*  
19 “determining that the request specifies a function which is defined within the  
20 computer process and which includes one or more computer instructions,  
21 execution of which performs a task which is unrelated to retrieval of any  
22 document specified in the request”, as recited in claim 11.

23        Accordingly, claim 11 is allowable over the Savitzky-Grate combination  
24 and Applicant respectfully requests that the §103 rejection be withdrawn.



1        **Claims 12-15** are allowable by virtue of their dependency upon claim 11.  
2        Additionally, claims 12, 13, and 14 are allowable for over the Savitzky-Grate  
3        combination for independent reasons.

4        Claim 12 recites “determining that the request includes a document  
5        specification which is in a portion of a name space reserved for function requests.”

6        As described above in the response to the rejection of claim 2, The Office  
7        has not cited to either Savitzky or Grate for teaching “a name space reserved for  
8        function requests”, or “a document specification which is in a portion of a name  
9        space reserved for function requests.” Accordingly, Applicant respectfully  
10       requests that the Office withdraw the §103 rejection of claim 12.

11       Claims 13 and 14 recite “returning to the applet result data produced by  
12       execution of the function” (claim 13), and “forming a document which includes  
13       the result data and sending the document to the applet” (claim 14).

14       As described above in the response to the rejection of claims 3 and 4,  
15       Neither Savitzky nor Grate teaches “forming a document which includes the result  
16       data”, and “sending the document to the applet”, as recited in claim 14. The  
17       document of Savitzky does not include the results *of a function*, execution of  
18       which performs a task which is unrelated to retrieval of any document specified in  
19       the request, as recited in the combination of claims 11, 13, and 14. Accordingly,  
20       claims 13 and 14 are allowable over the Savitzky-Grate combination.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25

2
3
4
5

## 7

8
9
10
11

13

15

15

14

15

16

1        **Version of amended specification with markings to show changes made**

2        The paragraph starting at page 8, line 20, is amended as follows:

3        RPC process 210 and applet 200 are described in greater detail in the  
4        context of Figure 2. Applet 200 is configured to invoke RPC functions, e.g., either  
5        of RPC functions 206A-B of RPC process 210, to thereby incorporate the tasks  
6        performed by such RPC functions into a larger task performed by applet 200.  
7        RPC process 210 includes an HTTP server 204 which serves HTTP requests in a  
8        conventional manner, i.e., receives a URL which specifies a requested document  
9        and produces the requested document in response to the received URL. RPC  
10       process 210 also includes a URL filter 202 and RPC functions 206A-B. URL  
11       filter 202 reserves a portion of the name space of documents which can be  
12       requested using a URL for RPC requests. As described more completely below,  
13       URL filter 202 determines whether a particular URL specifies a document in the  
14       reserved name space portion and processes the URL ~~according~~ accordingly. In  
15       accordance with HTTP, applet 200 sends a URL specifying a document to RPC  
16       process 210 and receives the specified document from RPC process 210. To  
17       invoke either of RPC functions 206A-B, applet 200 forms a URL according to the  
18       steps of logic flow diagram 300 (Figure 3) and sends the URL to RPC process  
19       210.

20  
21       The paragraph starting at page 12, line 17, is amended as follows:

22       Applet 200 (Figure 2) can make itself available to receive RPC requests  
23       from RPC process 210 in a manner which is generally permitted by applet viewer  
24       150 (Figure 1) and which is illustrated in logic flow diagram 700 ~~((Figure 7)).~~  
25       Processing according to logic flow diagram 700 begins in step 702.

1  
2       The paragraph starting at page 12, line 21, is amended as follows:

3       In step 702, applet 200 ((Figure 2) builds an RPC request for execution of  
4 an "RPC ready" RPC function by RPC process 210 and encodes the RPC request  
5 as a URL in the manner described more completely above. In step 704  
6 ((Figure 7), applet 200 ((Figure 2) sends the URL encoded in step 702 ((Figure 7)  
7 to RPC process 210 to thereby request execution of the "RPC ready" RPC  
8 function, which can be RPC function 206B, for example.

9  
10       The paragraph starting at page 12, line 26, is amended as follows:

11       The design and implementation of RPC function 206B is such that  
12 execution thereof indicates to RPC process 210 that applet 200 is ready to receive  
13 RPC requests from RPC process 210 and establishes a communications channel  
14 through which RPC process 210 can send RPC requests to applet 200.  
15 Specifically, HTTP, as implemented by both RPC process 210 and applet viewer  
16 150 ((Figure 1) within which applet 200 executes, expects a document to be  
17 retrieved in response to the URL sent in step 704 ((Figure 7 4). In addition, HTTP  
18 as implemented permits transfer of the requested document to be delayed and  
19 intermittent. However, ~~to~~ RPC process 210 requests a virtual document, i.e., a  
20 document which does not exist within memory 104 ((Figure 1) of computer system  
21 100 but which is instead created in response to the URL. Execution of RPC  
22 function 206B ((Figure 2) of RPC process 210 changes the state of RPC process  
23 210 to indicate that applet 200 is ready to receive RPC requests and to store data  
24 identifying the communications channel through which applet 200 is waiting to  
25 receive a document in response to the URL sent in step 704 ((Figure 7).

1  
2       The paragraph starting at page 13, line 10, is amended as follows:

3       RPC process 210 includes a core function 208 which defines and  
4 implements a central task for which RPC process 210 is designed. Execution of  
5 core function 208 can include sub-tasks which are implemented by one or more of  
6 RPC functions 212 of applet 200. Accordingly, to cause performance of such  
7 sub-tasks, core function 208 of RPC process 210 builds RPC requests which  
8 request execution of a selected one of RPC functions 212 and includes zero or  
9 more parameters to be used by the selected RPC function as input data. To send  
10 such an RPC request to applet 200, RPC process 210 sends the RPC request to  
11 applet 200 as a portion of the virtual document requested by the URL sent by  
12 applet 200 in step 704 ((Figure 7). By sending the RPC request as only a portion  
13 of the requested virtual document, RPC process 210 ((Figure 2) indicates to applet  
14 200 that other RPC requests can be subsequently sent to applet 200 through the  
15 same communication channel. Since the RPC request is sent to applet 200 as part  
16 of a document, the contents of which are not constrained by any particular  
17 protocol such as HTTP, the RPC request can be in any convenient form and can  
18 be in a form which is entirely inappropriate for a HTTP URL. To terminate the  
19 communication channel, and therefore terminate the ability of applet 200 to  
20 receive RPC requests from RPC process 210, RPC process 210 sends data  
21 indicating that the entirety of the virtual document requested by applet 200 has  
22 been sent to applet 200.  
23  
24  
25

1       The paragraph starting at page 13, line 26, is amended as follows:

2       Processing by applet 200 transfers from step 704 ((Figure 7) to loop step  
3       706 in which steps 708-712 are performed repeatedly until applet 200 ((Figure 2)  
4       receives data indicating that the entirety of the requested virtual document has  
5       been received. In step 708 ((Figure 7), applet 200 ((Figure 2) receives a portion of  
6       the virtual document from RPC process 210. In step 710 ((Figure 7), applet 200  
7       ((Figure 2) parses an RPC request from the received portion. As described above,  
8       the format of the RPC request can be entirely independent of the format of HTTP  
9       URLs. In step 712 ((Figure 7), applet 200 ((Figure 2) services the parsed RPC  
10      request by executing ~~the~~ one of RPC functions 212 specified by the parsed RPC  
11      request and supplying any arguments parsed from the received portion as input  
12      data. Any results produced by servicing the parsed RPC request can be  
13      communicated to RPC process 210 in the form of an HTTP URL built and sent to  
14      RPC process 210 in the manner described above. The results URL identifies the  
15      ~~one of~~ RPC functions 212 invoked by the parse RPC request to specify to RPC  
16      process 210 to which RPC request the resulting data pertains.

17  
18      The paragraph starting at page 14, line 10, is amended as follows:

19      Steps 708-712 ((Figure 7) are repeated until applet 200 ((Figure 2) receives  
20      data from RPC process 210 indicating that the entirety of the requested virtual  
21      document has been sent to applet 200. Thereafter, processing according to logic  
22      flow diagram 700 completes.

1       The paragraph starting at page 14, line 13, is amended as follows:

2       In this way, applet 200 accepts RPC requests from RPC process 210 in a  
3       manner which is permitted by applet viewer 150 ((Figure 1) without requiring  
4       modification of applet viewer 150. Accordingly, many of the advantages of  
5       interprocess communication are achieved in the secure context of an applet  
6       viewer.

Version of amended claims with markings to show changes made

11. (Amended) A computer system comprising:

a processor;

a memory operatively coupled to the processor; and

a computer process which executes in the processor from the memory and which, when executed, serves remote procedure calls received from an applet which executes within an applet viewer which in turn executes in the processor from the memory concurrently and independently from the computer process, wherein the computer process serves the remote procedure calls by performing the steps of:

receiving from the applet which executes in the same computer system that serves remote procedure calls, a request for a document according to a document retrieval protocol implemented on a computer network;

determining that the request specifies a function which is defined within the computer process and which includes one or more computer instructions, execution of which performs a task which is unrelated to retrieval of any document specified in the request; and

executing the function in the same computer system that is executing said applet and applet viewer to thereby cause execution of the one or more computer instructions in response to receipt of the request.